



IQC	INITIALS	DATE
Cut		
Labelled		
Collated		
QC		
Packaged		

PD-L1 IHC (PEMBROLIZUMAB, Agilent pharmDx 22C3, UROTHELIAL CA, CPS)

FOR LABORATORY USE ONLY

HSL-AD NUMBER: _____ MATERIAL RECEIVED: _____
 PRICE (TO BE INVOICED): _____ DATE RECEIVED & INITIALS: _____

PATIENT / SAMPLE DETAILS

SURNAME: _____ SURGICAL CASE ID: _____
 FORENAME: _____ TUMOUR TYPE & GRADE: _____
 DOB: _____ M F

REFERRING HOSPITAL / INVOICING DETAILS

CONSULTANT: _____	INVOICING DETAILS (if different)
ADDRESS: _____	CONTACT NAME: _____
_____	ORGANISATION: _____
_____	ADDRESS: _____
PHONE: _____	PURCHASE NUMBER: _____

REPORT DELIVERY (please tick - faxing of reports will end October 2020) FAX EMAIL

FAX NUMBER(S): _____	EMAIL ADDRESS(ES): _____
_____	_____
_____	_____

PD-L1 (PEMBROLIZUMAB, Agilent 22C3 pharmDx, UROTHELIAL CARCINOMA) CPS IHC REPORT

TUMOUR ASSESSMENT	COMBINED POSITIVE SCORE	RESULT
<input type="checkbox"/> SUFFICIENT FOR ASSESSMENT	<input type="checkbox"/> COMBINED POSITIVE SCORE	<input type="checkbox"/> NEGATIVE (<10 CPS)
<input type="checkbox"/> INSUFFICIENT FOR ASSESSMENT		<input type="checkbox"/> POSITIVE (≥10 CPS)

TEST COMMENTS

INTERPRETATION GUIDE: This assay is FDA-approved and uses the Dako pharmDx 22C3 kit stained on the Dako Autostainer Link48. This report is for use in Urothelial Carcinoma only and is used as a companion diagnostic to indicate the suitability of patient treatment with Pembrolizumab. Scoring method used is the Combined Positive Score (CPS). Use of this report for selection of treatment options in other tumour settings has not been validated. The use of Pembrolizumab is currently not licensed by NICE.

NEGATIVE (<10): Patient is unlikely to respond to treatment involving Pembrolizumab.

POSITIVE (≥10): Patient may respond to treatment involving Pembrolizumab.

SIGNED: _____

DATE: _____

Dr Rebecca Gillibrand / Dr Ian Proctor